LIST OF CONTENTS

Volume 133

Page

ADAMSON, L., HARRISON, R. G. and BAYLEY, IRIS
The development of the whistling frog *Eleutherodactylus martinicensis* of Barbados. (4 plates) 453

ALEXANDER, ANNE J.
Courtship and mating in the buthid scorpions. (7 figures)..... 145

ALEXANDER, ANNE J.
A note on the evolution of stridulation within the Family Scorpionidae. (1 plate and 2 figures) 391

ATKINS, D.
The development of the pleopods in the young crab stages of *Pinnotheres* (Crustacea). (13 figures) 435

AUSTIN, A. P. See RYLAND, J. S.

BAYLEY, IRIS. See ADAMSON, L.

BILLEWICZ, W. Z. See LEITCH, I.

BOYD, J. MORTON
Observations on the St. Kilda field-mouse *Apodemus sylvaticus hirtensis* Barrett-Hamilton. (1 plate and 3 figures) 47

BRINKHURST, R. O.
Studies on the functional morphology of *Gerris najas* Degeer (Hem. Het. Gerridae). (9 figures) 531

BROEKHUYSEN, G. J.
" Birds of the Vleis " and " Spring in the Cape ". (Exhibition-title only) 481

CAVE, A. J. E.
The nasal fossa of a foetal gorilla. (2 figures)..... 73

CHAPMAN, B. M., CHAPMAN, R. F. and ROBERTSON, I. A. D.
The growth and breeding of the multimammate rat (*Rattus*) (*Mastomys*) *natalensis* (Smith) in Tanganyika Territory. (6 figures) 1

CHAPMAN, R. F. See CHAPMAN, B. M.

COPLAND, W. O. See DELANY, M. J.

CORBET, G. B.
Wood mice at high altitude in Scotland..... 486

CORBET, PHILIP S.
The food of a sample of crocodiles (*Crocodilus niloticus* L.) from Lake Victoria 561

CRANBROOK, THE EARL OF
The feeding habits of the water shrew, *Neomys fodiens bicolor* Shaw in captivity and the effect of its attack upon its prey..... 245

DELANY, M. J. and COPLAND, W. O.
The mammals of the island of South Rona 483

FIENNES, R. N. T–W–.
Tuberculosis of a puma cub (*Felis concolor*) accompanied by skeletal deformities resembling rickets 593

FIENNES, R. N. T–W– and GRAHAM–JONES, O.
Studies of a nutritional disease (Osteodystrophia fibrosa) of young lions associated with changes of the skeleton and symptoms of muscular weakness. (3 plates) 573

FLYNN, T. THOMSON
The placentation of the Marsupialia. (Exhibition title-only) 482

FRYER, GEOFFREY
Studies on some parasitic crustaceans on African freshwater fishes, with descriptions of a new copepod of the genus *Ergasilus* and a new branchiuran of the genus *Chonopeltis*. (26 figures) 629

FULLAGAR, P. J., ROGERS, T. H. and MANSFIELD, D.
Supernumerary teeth in the badger 494

GORVETT, H. and TAYLOR, J. C.
A further note on tegumental glands in woodlice 653

GOTTO, R. V.
Observations on the orientation and feeding of the copepod *Sabelliphilus elongatus* M. Sars on its fan-worm host. (1 plate and 1 figure) 619

GRAHAM–JONES, O. See FIENNES, R. N. T–W–.

HARRISON, J. L.
Defaecation in the flying lemur *Cynocephalus variegatus*. (1 plate) .. 179

HARRISON, R. G. *See* ADAMSON, L.

HEALY, EUGENE A. and WELLS, G. P.
Three new lugworms (Arenicolidae, Polychaeta) from the North Pacific area. (4 plates and 3 figures) 315

HICKLING, C. F.
The Fish Culture Research Station, Malacca. (Exhibition-title only) 482

HILL, W. C. OSMAN
Mesogastric viscera in *Ateles* (Spider-monkeys). (1 plate) 651

HILLABY, JOHN
Some observations on Cape Hunting Dogs. (Exhibition-title only) 482

HUBENDICK, BENGT
The Ancylidae of Lake Ochrid and their bearing on intralacustrine speciation. (4 plates and 25 figures) 497

HYTTEN, F. E. See LEITCH, I.

KERR, T.
Development and structure of some actinopterygian and urodele teeth (2 plates and 2 figures) 401

LEITCH, I., HYTTEN, F. E. and BILLEWICZ, W. Z.
The maternal and neonatal weights of some Mammalia. (2 figures) 11

LOVERIDGE, A.
On a fourth collection of reptiles, mostly taken in Tanganyika Territory by Mr C. J. P. Ionides 29

LYNE, A. G.
The systematic and adaptive significance of the vibrissae in the Marsupialia. (5 plates and 26 figures) 79

MANSFIELD, D. See FULLAGAR, P. J.

MARSHALL, A. J.
A zoological collector in northwestern Australia. (Exhibition-title only) 652

MATTHEWS, L. HARRISON
Report on the additions to the Society's Menagerie, April and May 1959 481

June, July, August, September and October 1959 649

MILLOTT, N. and YOSHIDA, M.
The photosensitivity of the sea urchin *Diadema antillarum* Philippi : responses to increases in light intensity. (1 plate and 1 figure) 67

OWEN, D. F.
The nesting success of the heron *Ardea cinerea* in relation to the availability of food. (3 figures) 597

POPHAM, EDWARD J.
The anatomy in relation to feeding habits of *Forficula auricularia* L. and other Dermaptera. (28 figures) 251

RALPH, PATRICIA M.
The status and affinities of the anthomedusan *Paragotoea bathybia* Kramp, 1942. (1 figure) 171

ROBERTSON, I. A. D. See CHAPMAN, B. M.

ROGERS, T. H. See FULLAGAR, P. J.

RYLAND, J. S. and AUSTIN, A. P.
Three species of Kamptozoa new to Britain. (1 plate and 3 figures) 423

SAUNDBY, R. P.
Observations on the grey seal at St. Kilda in winter 487

SCHULTZ, ADOLPH H.
Age changes and variability in the skulls and teeth of the Central American monkeys *Alouatta*, *Cebus* and *Ateles*. (3 plates and 7 figures) 337

SIMKISS, K. See TYLER, C.

SPINAGE, C. A.
An apparent case of precocious tusk growth in a young African elephant. (1 plate) 45

STEBBINGS, R.
Lesser horseshoe bat in West Suffolk 483

TAYLOR, J. C. See GORVETT, H.

TYLER, C. and SIMKISS, K.
A study of the egg shells of ratite birds. (3 plates and 12 figures) .. 201

VENABLES, L. S. V. See VENABLES, U. M.

VENABLES, U. M. and VENABLES, L. S. V.
A seal survey of Northern Ireland 1956–57 490

WELLS, G. P.
The genera of Arenicolidae (Polychaeta). (2 plates and 2 figures).. 301

The geographical distribution of lugworms (Arenicolidae : Polychaeta). (Exhibition-title only) 482

WELLS, G. P. See HEALY, EUGENE A.

WILLIAMSON, G. R.
Three unusual rorqual whales from the Antarctic. (2 plates and 2 figures) 135

WOODHEAD, A. D. See WOODHEAD, P. M. J.

WOODHEAD, P. M. J. and WOODHEAD, A. D.
The effects of low temperatures on the physiology and distribution of the cod, *Gadus morhua* L., in the Barents Sea. (1 plate and 4 figures) 181

YOSHIDA. M. See MILLOTT, N.

YOUNG, J. Z.
Observations on *Argonauta* and especially its method of feeding. (2 plates and 2 figures) 471

INDEX

Vol. 133.—Pages 1–655

[New names in clarendon type. Systematic references in italics.]

Abarenicola, gen. n. 311
—— *claparedii* 316
—— **pacifica,** sp. n. 316
—— **vagabunda,** sp. n. 316
—— —— *vagabunda* 330
—— —— **oceanica,** subsp. n. 330
Ablepharus boutonii africanus, 34.
Acrobates pygmaeus, 100.
Acroloxus improvisus, 514.
—— *macedonicus*, 519.
acutorostrata, Balaenoptera, 135.
aeglifinus, Gadus, 402.
africanus, Ablepharus, 34.
——, *Argulus*, 632, 644.
Afrolernaea longicollis, 646.
agrestis, Microtus, 486.
alleghaniensis, Cryptobranchus, 402.
Alouatta palliata, 338.
ambloplites, Argulus, 635.
Amblyodipsas k. ionidesi, 41.
Ambystoma tigrinum, 402.
Amia calva, 402.
Amphisbaena rondoensis, 37.
Anarhichas lupus, 402.
Ancyclocranium ionidesi, 37.
Ancylus **lapicidus,** sp. n., 512.
—— *scalariformis*, 508.
—— *tapirulus*, 498.
Anguilla anguilla, 402.
anguilla, Anguilla, 402.
angusticeps, Dendroaspis, 32, 42.
annelidicola, Lozosoma, 430.
annulata, Lozosomella, 424.
Antechinomys spenceri, 88.
Antechinus macdonnellenses, 88, 89.
—— *swainsonii*, 87, 89.
antedonis, Loxosomella, 425.
antillarum, Diadema, 67.
Apodemus sylvaticus, 484, 486.
—— —— *hirtensis*, 47.
—— —— *sylvaticus*, 56.
Araneus, Sorex, 485, 487.
Ardea cinerea, 597.
Arenicolides, 311.
Arenicola, 310.
—— *claparedii*, 316.
—— *cristata*, 315.
—— *marina*, 315.
—— —— *glacialis*, 315.
—— —— *marina*, 315.
—— —— *schantarica*, 315.
argo, Argonauta, 471.
Argonauta argo, 471.
Argulus africanus, 632, 644
—— *ambloplites*, 635.
—— *brachypeltis*, 633.
—— *dartevellei*, 636.
—— *japonicus*, 644.
—— *jollymani*, 635.
—— *reticulatus*, 633.
—— *rhipidiophorus*, 632.
arietans, Bitis a., 43.
ascanius, Labrus, 402.
Ateles, 651.
—— *geoffroyi*, 338.
auricularia, Forficula, 251.
australis, Dromiciops, 84.
——, *Petaurus*, 101.

Balaenoptera, acutorostrata, 135.
—— *bonaërensis*, 140.
—— *brydei*, 139.
—— *huttoni*, 140.
—— *physalus*, 139.
barnimiana, Lernaea, 645.
bathybia, Paragotoea, 171.
bennettianus, Dendrolagus, 111.
Bettongia cuniculus, 111.
—— *gaimardi*, 111.
bicolor, Neomys f., 245.
billardierii, Thylogale, 112.
bitaeniatus, Chamaeleo, 31.
Bitis a. arietans, 43.
—— *g. gabonica*, 43.
Blarina brevicauda, 245.
Boaedon f. fuliginosus, 38.
bonaërensis, Balaenoptera, 140.
brachypeltis, Argulus, 633.
brachyurus, Setonix, 25, 112.
brevicauda, Blarina, 245.
brevicaudata, Brookesia, 34.
breviceps, Petaurus, 101.
Brookesia brevicaudata, 34.
brydei, Balaenoptera, 139.
Buthus quinquestriatus, 152.
byrnei, Dasyuroides, 88.

Caenolestes fuliginosus, 97.
calabaricus, Calamoichthys, 402.
Calamoichthys calabaricus, 402.
callarius, Gadus, 402.
Caloprymnus campestris, 111.
calva, Amia, 402.
campestris, Caloprymnus, 111.
capucinus, Cebus, 338.
castaneus, Sorex a., 484.
Causus delilippii, 43.
Cavia porcellus, 26.
Cebus capucinus, 338.
Cercartetus nanus, 100.
Chamaeleo b. bitaeniatus, 31.
—— *fischeri excubitor*, 32.
—— —— *tavetanus*, 32.
—— *j. jacksonii*, 32.
—— —— *vauerescecae*, 32.

Chamaeleo melleri, 32.
Chironectes minimus, 84.
Choeropus ecaudatus, 95.
Chonopeltis **flaccifrons**, sp. n., 638.
—— *inermis*, 642.
—— *schoutedeni*, 644.
cinerea, Ardea, 597.
——, *Marmosa*, 84.
cinereus, Phascolarctos, 108.
claparedii, Abarenicola, 316, 329.
concolor, Felis, 593.
Conger conger, 402.
conger, Conger, 402.
convolutor, Pseudocheirus, 101.
crassicaudata, Sminthopsis, 88.
cristata, Arenicola, 315.
cristicauda, Dasycercus, 88.
Crocodilus niloticus, 561.
Crotaphopeltis w. shrevei, 39.
Cryptobranchus alleghaniensis, 402.
Ctenolabrus rupestris, 402.
cuniculus, Bettongia, 111.
Cynocephalus variegatus, 179.
cynocephalus, Thylacinus, 88.

dartevellei, Argulus, 636.
Dasycercus cristicauda, 88.
Dasyuroides byrnei, 88.
Dasyurops maculatus, 88.
Dasyurus quoll, 88.
—— *viverrinus*, 26.
decosteri, Elapsoidea s., 41.
delilippii, Causus, 43.
Dendroaspis angusticeps, 42.
—— *p. polylepis*, 42.
Dendrolagus bennettianus, 111.
—— *inustus*, 112.
Diadem antillarum, 67.
Didelphis marsupialis, 84, 86.
dimidiatus, Peramys, 84.
Dolops ranarum, 643.
Dromiciops australis, 84.

ecaudatus, Choeropus, 95.
Elapsoidea s. decosteri, 41.
Eleutherodactylus martinicensis, 453.
elongatus, Sabelliphilus, 619.
eremiana, Perameles, 95.
Ergasilus, 629.
—— **latus**, sp. n., 630.
Esox lucius, 402.
Eudromicia lepida, 100.
excubitor, Chamaeleo f., 29, 32.

fasciatus, Myrmecobius, 93.
Felis concolor, 593.
flaccifrons, *Chonopeltis*, sp. n., 638.
fodiens, Neomys f., 245.
Forficula auricularia, 251.
fuliginosus, Boaedon, 38.
——, *Caenolestes*, 97.

gabonica, Bitis g., 43.
Gadus aeglefinus, 402.
—— *callarius*, 402.
—— *merlangus*, 402.
—— *morhua*, 181.
—— *virens*, 402.
gaimardi, Bettongia, 111.
geoffroyi, Ateles, 338.
Gerrhosaurus major grandis, 34.
Gerris najas, 531.
glacialis, Arenicola m., 315.
grandis, Gerrhosaurus m., 34.
grypus, Halichoerus, 487.
gunnii, Perameles, 95.
gurnardus, Trigla, 402.

Halichoerus grypus, 487.
haplocephala, Lernaea, 645.
harrisii, Sarcophilus, 88.
hemprichii, Lamproglena, 646.
Heterometrus, 391.
hipposideros, Rhinolophus, 483.
hirsutus, Lagorchestes, 112.
hirtensis, Apodemus s., 47.
hoffmannseggi, Platyarthrus, 653.
huttoni, Balaenoptera, 140.

imperator, Pandinus, 392.
improvisus, Acroloxus, 514.
inca, Orolestes, 97.
inermis, Chonopeltis, 642.
inustus, Dendrolagus, 112.
ionidesi, Amblyodipsas k., 41.
——, *Ancyclocranium*, 37.
irregularis, Philothamnus i., 39.
Isoodon obesulus, 94.

jacksonii, Chamaeleo j., 32.
japonicus, Argulus, 644.
jollymani, Argulus, 635.

kefersteinii, Loxosomella, 425.

Labrus ascanius, 402.
Lagorchestes hirsutus, 112.
lagotis, Macrotis, 95.
Lamproglena hemprichii, 646.
—— *monodi*, 646.
lapicidus, *Ancylus*, sp. n., 512.
lateralis, Petrogale, 112.
latimanus, Opisthophthalmus, 392.
latus, *Ergasilus*, sp. n., 630.
lepida, Eudromicia, 100.
Lepisosteus osseus, 402.
Leptotyphlops longicauda, 38.
Lernaea barnimiana, 645.
—— *haplocephala*, 645.
—— *longa*, 645.
leucopus, Sminthopsis, 88.
longa, Lernaea, 645.
longicauda, Leptotyphlops, 38.
longicollis, Afrolernaea, 646.
Lophius piscatorius, 402.
Loxosoma annelidicola, 430.
Loxosomella annulata, 424,
—— *antedonis*, 425.
—— *kefersteinii*, 425.
—— *mespe*, 424.
—— *phascolosomatum*, 425.
lucius, Esox, 402.
lupus, Anarhichas, 402.

macdonnellenses, Antechinus, 88,89.
macedonicus, Acroloxus, 519.
macrops, Philothamnus, 39.
Macropus tasmaniensis, 112.
Macrotis lagotis, 95.
—— *minor*, 95.
maculatus, Dasyurops, 88.
Maculosa, Salamandra, 402.
marina, Arenicola, 315.

Marmosa cinerea, 84.
—— *murina*, 84.
marsupialis, Didelphis, 84, 86.
martinicensis, Eleutherodactylus, 453.
Mehelya nyassae, 38.
melanoleuca, Naja, 41.
Meles meles, 494.
meles, Meles, 494.
melleri, Chamaeleo, 32.
merlangus, Gadus, 402.
Merluccius merluccius, 402.
merluccius, Merluccius, 402.
mespe, Loxosomella, 424.
Metachirus opossum, 84
microstictus, Varanus exanthematicus, 37.
Microtus agrestis, 486.
minimus, Chironectes, 84.
minor, Macrotis, 95.
minutus, Sorex, 485, 486.
Molge vulgaris, 402.
monodi, Lamproglena, 646.
morhua, Gadus, 181.
murina, Marmosa, 84.
myosura, Perameles, 95.
Myrmecobius fasciatus, 93.

Naja melanoleuca, 41.
—— *n. nigricollis*, 41.
najas, Gerris, 531.
nanus, Cercartetus, 100.
nasuta, Perameles, 95.
natalensis, Rattus (Mastomys), 1.
Neomys fodiens bicolor, 245.
—— —— *fodiens*, 245.
nigricollis, Naja n., 41.
niloticus, Crocodilus, 561.
——, *Varanus*, 37.
nitidiceps, Opistophthalmus, 393, 397.
Notoryctes typhlops, 94.
nyassae, Mehelya, 38.

obesulus, Isoodon, 94.
oceanica, Abarenicola v., subsp. n., 330.
Opisthophthalmus latimanus, 392.
—— *nitidiceps*, 393, 397.
opossum, Metachirus, 84.
Orolestes inca, 97.
osseus, Lepisosteus, 402.
ostreum, Pinnotheres, 436.

pacifica, Abarenicola, sp. n., 316.
palliata, Alouatta, 338.
Pandinus, 391.
—— *imperator*, 392.
Parabuthus planicauda, 145.
Paragotoea bathybia, 171.
Pelamis platurus, 42.
Perameles eremiana, 95.
—— *gunnii*, 95.
—— *myosura*, 95.
—— *nasuta*, 95.
Peramys dimidiatus, 84.
Petaurus australis, 101.
—— *breviceps*, 101.
Petrogale lateralis, 112.
Phascogale tapoatafa, 88, 89.
Phascolarctos cinereus, 108.
phascolosomatum, Loxosomella, 425.
Philothamnus i. irregularis, 39.
—— *macrops*, 39.
Phoca vitulina, 490.
Phyllodactylus wolterstorffi, 29, 30, 31.
physalus, Balaenoptera, 139.
picatorius, Lophius, 402.
Pinnotheres ostreum, 436.
—— *pinnotheres*, 435, 436.
—— *pisum*, 435, 446.
—— *taylori*, 436.
pinnotheres, Pinnotheres, 435, 436.
Pipistrellus pipistrellus, 483.
pipistrellus, Pipstrellus, 483.
pisum, Pinnotheres, 435, 446.
planicauda, Parabuthus, 145.
platessa, Pleuronectes, 402.
platurus, Pelamis, 42.
Platyarthrus hoffmannseggi, 653.
Pleuronectes platessa, 402.
polylepis, Dendroaspis p., 42.
Polypterus senegalus, 402.
porcellus, Cavia, 26.
Potorous tridactylus, 111.
Pseudocheirus convolutor, 101.
pygmaeus, Acrobates, 100.

quinquestriatus, Bathus, 152.
quoll, Dasyurus, 88.

ranarum, Dolops, 643.
Rattus (Mastomys) natalensis, 1.
reticulatus, Argulus, 633.
Rhinolophus hipposideros, 483.
rhipidiophorus, Argulus, 632.
rondoensis, Amphisbaena, 37.
——, *Typhlops*, 38.
rufogrisea, Wallabia, 112.
rupestris, Ctenolabrus, 402.

Salamandra maculosa, 402.
Salmo trutta, 402.
Sarcophilus harrisii, 88.
Sabelliphilus elongatus, 619.
scalariformis, Ancylus, 508.
schantarica, Arenicola m., 315.
Schoinobates volans, 101.
schoutedeni, Chonopeltis, 644.
senegalus, Polypterus, 402.
Setonix brachyurus, 25, 112.
shrevei, Crotaphopeltis w, 39.
Sminthopsis crassicaudata, 88.
—— *leucopus*, 88.
Sorex araneus, 485, 487.
—— —— *castaneus*, 484
—— *minutus*, 485, 486.
spenserae, Tarsipes, 100.
spenceri, Antechinomys, 88.
swainsonii, Antechinus, 87, 89.
sylvaticus, Apodemus, 56, 484, 486.

tapirulus, Ancylus, 498.
tapoatafa, Phascogale, 88, 89.
Tarsipes spenserae, 100.
tasmaniensis, Macropus, 112.
tavetanus, Chamaeleo f., 32.
taylori, Pinnotheres, 436.
tettensis Typhlops, 37.
Thylacinus cynocephalus, 88.
Thylogale billardierii, 112.
tigrinum, Ambystoma, 402.
Tityus trinitatis, 145.
triangulifer, Uroplectes, 145.
Trichosurus vulpecula, 25, 101.
tridactylus, Potorous, 111.
Trigla gurnardus, 402.

trinitatis, Tityus, 145.
trutta, Salmo, 402.
Typhlops t. rondoensis, 38.
—— —— *tettensis*, 37.
typhlops, Notoryctes, 94.

Uropeltes triangulifer, 145.
ursinus, Vombatus, 110.

vagabunda, Abarenicola, sp. n. 316, 330.
Varanus e. microstictus, 37.
—— *n. niloticus*, 37.
variegatus, Cynocephalus, 179.
virens, Gadus, 402.
vitulina, Phoca, 490.
viverrinus, Dasyurus, 26.
viviparus, Zoarces, 402.
volans, Schoinobates, 101.
Vombatus ursinus, 110.
vulgaris, Molge, 402.
vulpecula, Trichosurus, 25, 101.

Wallabia rufogrisea, 112.
wolterstorffi, Phyllodactylus, 29.

Zoarces viviparus, 402.